
No. CH-41

Unit : mm





MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AL1M-SHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1010	1025	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1010	1025	1070	1095	2070	1875	2485	330
	275/70R22.5 148/145	22.5X8.25	975	985	1025	1045	2050	1855	2465	330
		22.5X8.25 ALLOY	975	985	1025	1045	2070	1875	2480	330
	11R22.5 148/145	22.5X8.25	1020	1030	1070	1090	2050	1855	2465	330
		22.5X8.25 ALLOY	1020	1030	1070	1090	2070	1875	2485	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.


No. CH-41


Unit : mm












No. CH-42

Unit : mm





MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AL1M-RHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1010	1025	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1010	1025	1070	1095	2070	1875	2485	330
	275/70R22.5 148/145	22.5X8.25	975	985	1025	1045	2050	1855	2465	330
		22.5X8.25 ALLOY	975	985	1025	1045	2070	1875	2480	330
	11R22.5 148/145	22.5X8.25	1020	1030	1070	1090	2050	1855	2465	330
		22.5X8.25 ALLOY	1020	1030	1070	1090	2070	1875	2485	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.


No. CH-42

Unit : mm










No. CH-43

Unit : mm





MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AL1U-SHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1020	1025	1045	1055	2050	1840	2455	330
		22.5X8.25 ALLOY	1020	1025	1045	1055	2070	1860	2470	330
	275/70R22.5 148/145	22.5X8.25	980	985	1000	1010	2050	1840	2450	330
		22.5X8.25 ALLOY	980	985	1000	1010	2070	1860	2470	330
	11R22.5 148/145	22.5X8.25	1025	1030	1045	1055	2050	1840	2455	330
		22.5X8.25 ALLOY	1025	1030	1045	1055	2070	1860	2470	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.


No. CH-43

Unit : mm










No. CH-44

Unit : mm





MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AL1U-RHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1020	1025	1045	1055	2050	1840	2455	330
		22.5X8.25 ALLOY	1020	1025	1045	1055	2070	1860	2470	330
	275/70R22.5 148/145	22.5X8.25	980	985	1000	1010	2050	1840	2450	330
		22.5X8.25 ALLOY	980	985	1000	1010	2070	1860	2470	330
	11R22.5 148/145	22.5X8.25	1025	1030	1045	1055	2050	1840	2455	330
		22.5X8.25 ALLOY	1025	1030	1045	1055	2070	1860	2470	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.


No. CH-44

Unit : mm










No. CH-45

Unit : mm





MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AR1A-SHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1010	1020	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1010	1020	1070	1095	2070	1875	2485	330
	275/70R22.5 148/145	22.5X8.25	970	980	1025	1050	2050	1855	2465	330
		22.5X8.25 ALLOY	970	980	1025	1050	2070	1875	2480	330
	11R22.5 148/145	22.5X8.25	1015	1025	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1015	1025	1070	1095	2070	1875	2485	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.


No. CH-45


Unit : mm


















No. CH-46

Unit : mm




MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AR1A-RHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1010	1020	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1010	1020	1070	1095	2070	1875	2485	330
	275/70R22.5 148/145	22.5X8.25	970	980	1025	1050	2050	1855	2465	330
		22.5X8.25 ALLOY	970	980	1025	1050	2070	1875	2480	330
	11R22.5 148/145	22.5X8.25	1015	1025	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1015	1025	1070	1095	2070	1875	2485	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.


No. CH-46


Unit : mm












No. CH-47

Unit : mm





MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AR1G-RHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1015	1020	1045	1060	2050	1840	2455	330
		22.5X8.25 ALLOY	1015	1020	1045	1060	2070	1860	2470	330
	275/70R22.5 148/145	22.5X8.25	975	980	1000	1010	2050	1840	2450	330
		22.5X8.25 ALLOY	975	980	1000	1010	2070	1860	2470	330
	11R22.5 148/145	22.5X8.25	1020	1025	1045	1055	2050	1840	2455	330
		22.5X8.25 ALLOY	1020	1025	1045	1055	2070	1860	2470	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.


No. CH-47


Unit : mm












No. CH-48

Unit : mm




MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AW1A-SHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1005	1015	1070	1100	2050	1855	2465	330
		22.5X8.25 ALLOY	1005	1015	1070	1100	2070	1875	2485	330
	275/70R22.5 148/145	22.5X8.25	965	975	1025	1050	2050	1855	2465	330
		22.5X8.25 ALLOY	965	975	1025	1050	2070	1875	2480	330
	11R22.5 148/145	22.5X8.25	1010	1020	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1010	1020	1070	1095	2070	1875	2485	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.

No. CH-48

Unit : mm








No. CH-49

Unit : mm





MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AW1A-RHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1010	1020	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1010	1020	1070	1095	2070	1875	2485	330
	275/70R22.5 148/145	22.5X8.25	970	980	1025	1050	2050	1855	2465	330
		22.5X8.25 ALLOY	970	980	1025	1050	2070	1875	2480	330
	11R22.5 148/145	22.5X8.25	1015	1025	1070	1095	2050	1855	2465	330
		22.5X8.25 ALLOY	1015	1025	1070	1095	2070	1875	2485	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.


No. CH-49


Unit : mm















No. CH-50

Unit : mm




MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AW1G-SHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1010	1015	1045	1060	2050	1840	2455	330
		22.5X8.25 ALLOY	1010	1015	1045	1060	2070	1860	2470	330
	275/70R22.5 148/145	22.5X8.25	970	975	1000	1015	2050	1840	2450	330
		22.5X8.25 ALLOY	970	975	1000	1015	2070	1860	2470	330
	11R22.5 148/145	22.5X8.25	1015	1020	1045	1060	2050	1840	2455	330
		22.5X8.25 ALLOY	1015	1020	1045	1060	2070	1860	2470	330


NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.

No. CH-50

Unit : mm








No. CH-51

Unit : mm



MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
FM1AW1G-RHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1015	1020	1045	1060	2050	1840	2455	330
		22.5X8.25 ALLOY	1015	1020	1045	1060	2070	1860	2470	330
	275/70R22.5 148/145	22.5X8.25	975	980	1000	1010	2050	1840	2450	330
		22.5X8.25 ALLOY	975	980	1000	1010	2070	1860	2470	330
	11R22.5 148/145	22.5X8.25	1020	1025	1045	1055	2050	1840	2455	330
		22.5X8.25 ALLOY	1020	1025	1045	1055	2070	1860	2470	330

NOTE: 1.Figures marked "※" dimensions are measured in parallel with the surface of the ground.
2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.

No. CH-51

Unit : mm

