


300 Series MY20 Cab & Chassis drawings



Model	HYBRID RANGE	
Variant	Product Code	Chassis drawing
616 AMT 3375 STD HYBRID	XKU655R-WKVMVQ3	CH-9
616 AMT 3430 WIDE HYBRID	XKU710R-WKVMVQ3	CH-10
716 AMT 3430 WIDE HYBRID	XKU710R-WKVQVQ3	CH-10
916 AMT 3870 WIDE HYBRID	XKU720R-WKVTVQ3	CH-11

No. CH-9

Unit : mm

**[NOTE]**

- The dimensions described above are designed figure under the chassis condition.
- When selected or fitted optional equipment or local parts such as tire, leaf spring, fuel tank and etc., should be examined the frame height from ground by body manufacturer.
- Figures marked "★" dimensions are measured in parallel with the surface of the ground.



MODEL	TIRE SIZE	A	B	C	D	Tr	DETAIL OF ★L				★L	★Hc		★Hf	★Hr	★Hro
							FRAME	HOOK	SPARE TIRE	Rr. BUMPER		ROOF	LAMP			
XKU710R-WKVMVQ3	195/85R16-114/112	226	1904	1665	890	1480	6133	6091	5939	-	6133	-	2199	674	747	781
XKU710R-WKVQVQ3	205/85R16-117/115	244	1969	1665	890	1520	6133	6091	5939	-	6133	-	2218	694	756	785
	215/85R16-120/118	244	1977	1665	890	1520	6133	6091	5939	-	6133	-	2229	704	766	795
XKU710R-WKVTVQ3	225/80R17.5-123/122	254	2063	1655	890	1590	6132	6090	5939	-	6132	-	2246	724	813	853

[NOTE]

- The dimensions described above are designed figure under the chassis condition.
- When selected or fitted optional equipment or local parts such as tire, leaf spring, fuel tank and etc., should be examined the frame height from ground by body manufacturer.
- Figures marked "★" dimensions are measured in parallel with the surface of the ground.

