





<b>300 Series STD Cab &amp; Chassis Drawings for 616 IFS models</b>				
Model	Product Code	CAB	Cab Back	Chassis
616 Short IFS	XZU605R-HKMMSQ3	C-1	CB-1	CH-1
616 Short Auto IFS	XZU605R-HKTMSQ3	C-1	CB-2	CH-1
616 Medium IFS	XZU655R-HKMMSQ3	C-1	CB-1	CH-2
616 Short Hybrid IFS	XKU645R-HKUMSQ3	C-1	CB-5	CH-11
616 Medium Hybrid IFS	XKU655R-HKUMSQ3	C-1	CB-6	CH-12

## 1. CAB DRAWINGS

No. C-1

Unit : mm




## 2. CAB BACK DRAWINGS

No. CB-1

Unit : mm


• Left view



No. CB-1

• Right view


Unit : mm



No. CB-1

• Upper view


Unit : mm



No. CB-2

• Left view


Unit : mm



No. CB-2

• Right view


Unit : mm



No. CB-2

• Upper view


Unit : mm



## No. CB-5

• Left view


Unit : mm



No. CB-5

• Right view


Unit : mm



No. CB-5

• Upper view


Unit : mm



## No. CB-6

• Left view


Unit : mm



No. CB-6

• Right view


Unit : mm



No. CB-6

• Upper view


Unit : mm



## 3. CHASSIS DRAWINGS

No. CH-1

Unit : mm




MODEL	TIRE	A	B	C	D	Tr	★L	★Hc	★Hf	★Hr	★Hro
XZU605R-HKMMSQ3	185/85R16	226	1845	1400	840	1435	4711	2093	657	696	713
XZU605R-HKTMSQ3	185/85R16	226	1845	1400	840	1435	4711	2091	655	695	713

## [NOTE]

- The dimensions described above are designed figure under the chassis condition.
- When selected or fitted optional equipment or local parts such as tire, leaf spring, fuel tank and etc., should be examined the frame height from ground by body manufacturer.
- Figures marked "★" dimensions are measured in parallel with the surface of the ground.

## No. CH-2

Unit : mm





MODEL	TIRE	A	B	C	D	Tr	★L	★Hc	★Hf	★Hr	★Hro
XZU655R-HKMMSQ3	185/85R16	226	1845	1400	840	1435	5964	2090	654	695	714

**[NOTE]**

- The dimensions described above are designed figure under the chassis condition.
- When selected or fitted optional equipment or local parts such as tire, leaf spring, fuel tank and etc., should be examined the frame height from ground by body manufacturer.
- Figures marked "★" dimensions are measured in parallel with the surface of the ground.

**No. CH-11**

Unit : mm





MODEL	TIRE SIZE	A	B	C	D	Tr	★L	★Hc	★Hf	★Hr	★Hro
XKU645R-HKUMSQ3	185/85R16	226	1845	1400	840	1435	5184	2086	650	693	714

**[NOTE]**

- [NOTE]**
- The dimensions described above are designed figure under the chassis condition.
  - When selected or fitted optional equipment or local parts such as tire, leaf spring, fuel tank and etc., should be examined the frame height from ground by body manufacturer.
  - Figures marked "★" dimensions are measured in parallel with the surface of the ground.

## No. CH-12

Unit : mm



MODEL	TIRE SIZE	A	B	C	D	Tr	★L	★Hc	★Hf	★Hr	★Hro
XKU655R-HKUMSQ3	185/85R16	226	1845	1400	840	1435	5964	2083	647	692	713

## [NOTE]

- The dimensions described above are designed figure under the chassis condition.
- When selected or fitted optional equipment or local parts such as tire, leaf spring, fuel tank and etc., should be examined the frame height from ground by body manufacturer.
- Figures marked "★" dimensions are measured in parallel with the surface of the ground.